

Corridor Management and Preservation in Texas

2010 Workshops

TxDOT Research Implementation Project 5-5606-01





8:30-8:45 Introduction

- Welcome and Introductions
- Workshop Objectives
- Research Basis for Workshop
- Acronyms
- Agenda Overview

2

Basis for Workshop

- 2007 RMC Project 0-5606
 - Report 5606-1, *Creating Partnerships with Local Communities to Manage and Preserve Corridors*
 - 5606-P1, *Guidelines on Corridor Management and Preservation*
 - 5606-S, Summary Report
- Workshop is an 'Implementation' Project



3

Workshop Objectives

- To promote understanding and importance of CM&P
- To facilitate CM&P through coordination of transportation and land use planning



4

Workshop Objectives

- Promote TxDOT/local partnerships
- Show CM&P tools, practices, and studies
- Promote development and adoption of CM/CP plans



5

Workshop Objectives

- To bend your ear on CM&P and help you remember benefits
- Get your input and feedback
- Keep it informal !



• Tell me and I forget
• Show me and I remember
• Involve me and I understand
Chinese Proverb



6

What the 5606 Research Covered



1	Role of local and regional plans in CM&P
2	TxDOT/local authority and regs. in CM&P
3	Methods to acquire and preserve ROW
4	Current practices/case studies in CM and CP
5	Mechanisms for implementing CM&P
6	Recommendations on partnerships in CM&P for TxDOT

7

Acronym Quiz

See any that you don't know?



- CM&P
- CM
- CP
- AM
- TxDOT
- MPO
- RMA
- COG
- RPO
- ROW
- ETJ

- NEPA
- ISTEPA
- SAFETEA-LU
- EA
- EIS
- FONSI

...and not to forget

- LULU
- SOB
- NIMBY
- BANANA
- NIMTOO

...abbreviations

- Comp. plan
- T-fare plan
- Coord.
- w/ and w/o

Bonus: OSSF

8

Agenda Overview

Turn to the first page of your workbook

Essentially...
CM before lunch
CP after lunch

Session	TOPICS
Opening 8:50-9:45	<ul style="list-style-type: none"> Welcome and Introductions Workshop Objectives Today's Agenda
1 9:45-10:15	<ul style="list-style-type: none"> CM and CP: Definitions and Overview Purpose and Benefits of CM&P Authority and Roles of CM&P in Texas
2 10:15-10:30	<ul style="list-style-type: none"> Development Policies That Support CM CM Tools, Access Related
BREAK 10:30-10:45	
3 10:45-11:00	<ul style="list-style-type: none"> CM Tools, Zoning and Development Related CM Tools, Planning Related
4 11:00-11:30	<ul style="list-style-type: none"> CM Plans Discussion of CM in Host Area CM Case Studies
LUNCH 11:30-1:00 (on your own)	
5 1:00-1:45	<ul style="list-style-type: none"> CP Overview ROW Acquisition and Preservation Tools
6 1:45-2:30	<ul style="list-style-type: none"> Develop CP Strategies Early Environmental in CP
BREAK 2:30-2:45	
7 2:45-3:00	<ul style="list-style-type: none"> CP Conclusions Discussion of CP in Host Area
8 3:10-3:45	<ul style="list-style-type: none"> Bits in the 80th Legislative Session Impacting CM&P Intergovernmental Agreements CM&P Practice in Select States
Closing 3:45-4:15	<ul style="list-style-type: none"> Summary Recommendations Participant Feedback Course Evaluation

9

Before we get started....

be aware that some you work with may have the Knack



10

8:45 – 9:15 Session 1

- Definitions of CM and CP
- Purpose and Benefits of CM and CP?
- Authority and Abilities for CM&P

11

Definition of a Corridor

Corridor—a pathway that provides for the flow of people and goods within and between activity centers, and that includes one or more transportation facilities, abutting land uses, and access facilities for development.



Corridor Management (CM) Defined

- Management of land development and the transportation facilities within an **existing** corridor to ensure that they develop in accordance with
 - ✓ adopted land use plans
 - ✓ roadway improvement plans
 - ✓ access management
 - ✓ future ROW needs
 - ✓ or any specially adopted plans or objectives for the corridor.
- Application of multiple strategies to achieve specific land development and transportation objectives

13

CM Overview

- Is a planning strategy coordinating transportation and land use/development components
- Should be a continual process, way of business
- Is a 'system' in lieu of 'piecemeal' approach
- Includes many components
- Includes various types of plans, objectives
- Shows foresight, preparedness

14


CM Tools and Ability By Area

	CM Tool or Technique	City	ETJ	County
Access Management	Driveway Spacing	✓	limited	limited
	Non-Traversable Medians	✓	✓	✓
	Signalized Intersection Spacing	✓	✓	limited
	Arterial Frontage and Backage Roads	✓	limited	
	Acquisition of Access Rights	✓	✓	✓
Zoning and Development Regs	Site Plan review	✓	limited	
	Land Use/Density Controls	✓	limited	v. limited
	Building and Parking Setbacks	✓	v. limited	v. limited
	Corridor Zoning Overlays	✓		
	Driveway Throat Length	✓	limited	
Subdivision Regulations	ROW Dedication Through Platting	✓	✓	v. limited
	ROW Reservations Through Platting	✓	✓	v. limited
	Access Easements	✓	limited	limited
	Minimum Lot Size	✓	limited	limited
	Minimum Lot Width	✓	limited	limited

15

Definition of Corridor Preservation

- The practice of acquiring, preserving, or protecting ROW needed for a **future** transportation corridor.
- A concept utilizing the coordinated application of various measures to control or otherwise protect the ROW for a planned transportation facility.




Overview of CP

- Fed has mostly left CP to States
- TxDOT has no formal program, funding
- Starts with long-range transportation planning
- Requires involvement/coordination at all levels – federal, state, local
- Adopted plans (statewide, MPO, local) serve as basis
- Very important for future system


17

Why the Need for CM and CP?

- Make the most/best use of existing ROW
- Make sure we have sufficient ROW for future
- Coordinate transportation and land use planning and decision making
- Save money, time
- As coordination mechanism
- To avoid the "typical cycle"



Transportation-Land Use Cycle



Source: Institute of Traffic Engineers (ITE), *Transportation and Land Development*, 2nd Edition

19

Why the Need for CM and CP?

Escalating costs!



20

Other Benefits of CM & CP

- Improves safety, reduces congestion and improves mobility
- Economic
- Promotes orderly growth
- Aesthetics



21

Without CM ...



22

With CM



23

Basis for CM & CP in Texas

- Related TxDOT policies and manuals
- Local comprehensive plans
- Zoning and development regulations
- City and county subdivision regulations
- City and county transportation plans
- MPO/regional transportation plans

.....TxDOT cannot accomplish alone

24

TxDOT Policies that Support CM & CP

- AM, including purchase of access rights (*Access Management and ROW Manuals*)
- Early/advanced ROW acquisition (*ROW Manual*)
- Roadway design policies (*Roadway Design Manual*)
- Statewide Transportation Plan (*per Commission*)
- Local Agency Coordination

25

CM&P Authority/Ability Texas Cities

- Comprehensive plans (92%)
- Transportation plans (90%)
- CM&P tools in subdivision regs
- CM&P tools in zoning (96%)
- Access ordinances (73%)



(% of cities that have, based on 51 surveyed)

26

CM&P Authority/Ability of Texas Counties

- County subdivision regs
 - Min. lot size and width requirements (limited)
 - Ability to deny plat if in ID'd corridor (HB 1857, 2007)
 - Minimum lot size requirements for OSSF
- County transportation plans and reasonable setbacks (LGC §232.100)
- Extension of some city powers in ETJ

27

Possible City Powers in ETJ for CM & CP

- Municipal T-fare plans and subdivision regs.
- Some city ordinances such as
 - access
 - parkland dedication
 - drainage
 - adequate facilities
- Use of development agreements
- City policies on infrastructure extensions

28

9:15-10:45 Session 2: CM Tools

- Development Policies
- Access Management Related

MORNING BREAK 10:00-10:15

- Zoning and Site Related
- Platting Related

29


Development Policies that Support CM

1. Encourage activity center instead of strip development
2. Require neighborhood connectivity
3. Limit unnecessary local street connections
4. Consider Infrastructure extensions into ETJ areas carefully

30

Promote Activity-Based Development


- Require greater lot depths and frontage amounts for commercial zones
 - Improves site circulation
 - Reduces likelihood of strip
 - Fewer access points
- Promote activity centers with supporting roads



31

Use Functional Hierarchy in Local Street Planning

Avoid/limit minor local street connections to corridors



Source: Litwak, D. and Walker, C. The Subdivision and Site Plan Handbook, New Jersey, The State University of New Jersey, Figure excerpted from Florida DOT Access Management CD Library, 2008.

32

Example: Functional Street Hierarchy




33

Connect Subdivisions

Connect local streets to


- serve as secondary support system
- remove shorter local trips
- reduce congestion



Source: A Guide to Land Use and Public Transportation, Volume 2, Snohomish County Transportation Authority

34

Impacts of Lack of Connectivity



Source: K. Williams, CUTR, University of S. Florida

35

Consider Infrastructure Extensions Into ETJ Carefully

- Premature extension of infrastructure into ETJs can
 - Create densities that can't be handled by rural roadways
 - Be counter to infill development policies
- Cities should consider extending development policies into ETJs to level playing field
 - Transportation plans
 - Parkland dedication ordinances
 - Drainage ordinances
 - Access ordinances
- Development agreements

36

Basic Access Related CM Tools

1. Driveway Spacing
2. Corner Clearance
3. Non-Traversable Medians
4. Signalized Intersection Location and Spacing
5. Arterial Frontage and Backage Roads

37

Access in the good old days...



Driveway Spacing




- Limits number of driveways through min. separation requirements
- Increases likelihood of shared/cross access
- TxDOT regs and/or local ordinance


Posted Speed (mph)	Minimum Distance (Feet)		
	Existing State Highways (excluding freeways and frontage roads)	Frontage Roads	
		1-way	2-way
≤ 30	200	200	200
35	250	250	300
40	305	305	360
45	360	360	435
≥ 50	425	425	510

39

Corner Clearance



- Prevent conflicts between driveways & intersections
- Avoid driveways in functional area of intersection
- Manual: corner clearance = spacing distance for roadway



40

Corner Clearance Local Provisions



- Require shared/x-access easements for all corners
- No full movement driveways in functional area
- Require min. lot size requirements for corners
- Outparcels must obtain access from within

41

What's wrong with this picture?


Any of these
in your area?



42

Non-Traversable Medians

- Important CM component
- Improve progression, safety
- Install ahead of development



- Establish a median policy, TxDOT/locals should partner
- Include medians in local arterial design standards
- Locals/MPOs should assist in education, benefits

43

Non-Traversable Medians Ahead of development

FM 158
Booneville Rd.,
Bryan



FM 734
Parmer Lane,
Austin



44

Non-Traversable Medians Retrofit

Loop 323
Tyler




Source: Tyler District, R. Redmond

SH 6
Texas Ave.
College Station



45

Median Retrofit - Tyler District's Process




Source: Tyler District, R. Redmond

46

Limited Access Medians

- Use in lieu of full opening
- Fewer conflict points
- Allow only specific turning movements
- Study needed for suitability
- Potentially used in lieu of signal



47

Limited Access Medians

Hooded Left Turns
Commercial Blvd.
Ft. Lauderdale, FL



SH 303
Pioneer Pkwy
Arlington



48

Signalized Intersection Location and Spacing

- Important component of CM plan
- Long uniform spacing needed
- Consider in local street planning, driveway permitting, median openings
- Adopt CM plan to ensure proper signal spacing
- w/o CM plan
 - Difficult to uphold signal spacing guidelines
 - New signal locations determined by development

49

Arterial Frontage / Backage Roads

- Precludes direct access to arterial/corridor
- Minimizes, consolidates access, yet provides good visibility
- Use to meet access, signal spacing criteria
- Must plan them early, hard for retrofit
- Consider in development master plans, CM plans
- Adequate separation between frontage and arterial at connector intersections is crucial

50


Arterial Frontage Roads



Arterial Backage Roads



52



53


Zoning and Development Regs.

- 1. Lot dimension requirements
- 2. Building and parking setbacks
- 3. Internal access for outparcels
- 4. Driveway throat length
- 5. Zoning overlay districts

54

Lot Dimension Requirements


- Require deeper, wider lots along corridors via
 - Min. frontage amounts
 - Max lot width to depth ratios
- Prevent long narrow, flag lots
- Implement in zoning districts, sub. regs
- Guidance from FDOT study
 - 1:4 rural areas
 - 1:2 or 1:3 urban, suburban



55

Building and Parking Setbacks


- Require ample setbacks
 - From existing ROW
 - Request, negotiate from future ROW
- Numerous benefits
- Can not be used to preserve ROW or applied arbitrarily
- Enhanced setbacks common in overlays



56

Internal Access for Outparcels

- Require outparcels to take access from within development
- Prohibit direct access to roadway
- Numerous way to Implement





Source: K. Williams, Land Development Regulations That Support Access Management, CUIR, 2002

57

Driveway Throat Length

- Cities should regulate throat lengths along TxDOT corridors
- Florida DOT study
 - 200' for > 200,000ft² GLA
 - 75-95' for < 200,000ft² GLA
 - 40-60' small site
- Has effect of increasing parking setback



Source: TRB Access Management Manual, 2003


58

Corridor Zoning Overlay Districts

- Best CM, partnering tool
- Supplemental regs overlay zoned property
- Existing requirements of the base zoning district of each parcel retained
- Allows 'corridor-wide' in lieu of 'site' approach
- Commonly used on TxDOT roadways
- 2007 survey; 63% of Texas cities have used


59

Requirements Used in Zoning Overlays 2007 Survey of Texas Cities



60

Example Corridor Overlays Texas



Key Items That Can Be Used in Overlays

Those with direct TxDOT/ transportation benefits

- Access plan, future access points
- Increased driveway throats
- Internal connections between parcels
- No direct access to outparcels
- Increased setbacks

Others

- Land use prohibitions, intensity regs.
- Utility placement
- Aesthetics



62

Platting Related CM Tools

1. ROW Dedication
2. ROW Reservation
3. Access Easements
4. Acquisition of Access Rights



63

TxDOT/Local Coordination on Plats

- Coordination needed in PRELIMINARY plats to:
 - Manage access
 - Coordinate in T-fare planning
 - Protect and preserve state ROW



64

ROW Dedication Through Platting

- Conveyance of property to the public
- Texas cities/counties should require ROW dedication along TxDOT roads when
 - It is needed to gain compliance with their adopted transportation plan
 - Amount of dedication is roughly proportional to impact of development and reasonably related
- Coordination important to determine
 - TxDOT ROW needs for state facilities
 - Correct functional designations, cross-sections for state roads adopted in local plans

65

ROW Reservation in Platting

- Area designated for future ROW on a plat
- Purpose: prevent development, improvements in future ROW
- Does not transfer ownership of property
- Premise that ROW will be purchased in future
- Reservation may be negotiated or compromise option to dedication
- Helps reduce cost for future ROW acquisition

66

Access Easements

- Most important tool in carrying out TxDOT and local driveway spacing criteria
- Locals should require when property being subdivided into frontage amounts that can't meet spacing
- Types: shared, cross, and blanket easements


This does not
count as cross
access




67

Access Easements

Shared access easement centered on a property line



Cross access easements are often situated on parking aisle parallel to the roadway.



Platted Access Easements



Blue access easements on plat are yellow areas on aerial



69

Acquisition of Access Rights

- Right of access acquired, purchased or condemned
- Consider early, commonly done during ROW acquisition
- Precludes future takings claims
- Used primarily for new highways via 'access control lines'
- Permanent access control



70

Acquisition of Access Rights Other Uses

- Control access and sight distance at intersections
- Preclude future access in the area of ramps and intersections
- Case-by-case basis for safety, design considerations
- Opportunities as they arise




Loop 12, Garland

71

10:30-11:00 Session 3

- Corridor Management Plans
 - Overview and Types
 - What they can address
 - Typical objectives
- CM Case Studies



What is a CM Plan?

- Long-range comp. plan for a corridor
- Detailed planning study coordinating some/all of
 - Roadway design
 - Land use / development
 - Access and operations
 - Local street networks
- Combination 'roadway improvement/land development' policy guide
- Coordination mechanism
- Growth management tool

73

Typical CM Plan Objectives

- Prevent/minimize development in pathway
- Preserve/enhance safety, mobility
- Promote local street, development connections
- Match land intensity with roadway function
- Promote economic development
- Preserve/enhance appearance

74

CM Plans Can Address

1. Safety, operations, progression
2. Land use types, intensity
3. ROW preservation, protection
4. Development patterns, quality, design
5. Utility location, placement
6. Visual clutter, aesthetics
7. Revitalization, economic development
8. Natural, cultural, historic interests


75

CM Plans Are Unique

- Different types, shapes and sizes
 - Comprehensive or access only focus
 - Local arterial section or regional highway
 - Urban or rural areas
- Different Objectives
- Tailored to TxDOT, local goals, objectives


76

CM Plan Varieties or Components



← Full Blown – Comprehensive, Trans and LU components


Corridor Zoning Overlay – Focus on LU, development standards



77

CM Plan Varieties or Components

Emphasis on streetscape, design context




Emphasis on AM, safety, progression



78

CM Plan Varieties or Components

Median Openings and Signalized Intersection Spacing



Source: Florida DOT, Corridor Access Management Workshop

79

CM Plan Varieties or Components

Future driveway access only



Source: University Drive Corridor Study, City of College Station, TX, 1991

Median openings only

Source: Pine Island Road Corridor Master Plan, City of Cape Coral, FL, October 2001.

80

11:00-11:30 **Session 4**

- Corridor Management Case Studies
 - SH 289, Preston Road, Frisco, TX
 - FM 518, South Houston area
 - K-7 Corridor, Kansas City, KS

81

CM Case Study 1

Preston Road (SH 289)
Corridor Management Study
Frisco, TX

82

**Preston Road /
SH 289**
Corridor Location


- Frisco, TX
- North Dallas area
- Between US 380 and SH 121
- Midway between McKinney and Lake Dallas



83

Preston Road Corridor Study Frisco, TX (2000)

- Comprehensive LU and transportation study
- 11 mile section
- Emphasis on civic identity, aesthetics
- Street design, landscape, and development standards created
- Study products
 - Strategic plan for corridor
 - Overlay district




Preston Road / SH 289 Study Process

- Consensus-based planning approach
- Series of community workshops covering
 - Existing corridor conditions, analysis
 - Planning and land use concepts
 - Street framework/design
 - Landscaping and development standards
 - Desire for unique civic identity
- Surveys used to ID community desire on planning concepts, corridor identity.

85

Preston Road Study, Land Use Aspects

Existing Development
and Dynamics



Existing Zoning




Future LU Plan



86

Preston Road Overlay District

- Extends out 750' from roadway centerline
- Includes subdistricts
 - US 380 and SH 121 gateways
 - Rural corridor
 - Main street
 - Retail
- Different development regs in each subdistrict



87

Preston Road Overlay District Components


- Prohibited uses
- Uses with conditional development standards
- Enhanced bldg. and parking setbacks
- Special requirements on access
- Roadway design standards
- Building standards



88

Preston Road Corridor Study Roadway Design


- Preston Road
 - 120' ROW
 - Six 12' lanes
 - 14' median (varies)
 - Landscape easement or slip road
 - 12' utility, sidewalk easement in ROW
- Designs also included for collectors in corridor



89

Preston Road Overlay District Access Related Requirements

- 14' center landscaped median
- Use of slip roads (arterial frontage roads)
- No parking or driving aisles between buildings and street
- For sites with >200 pkg. spaces
 - medians in driveways
 - 150' min. driveway throat length



Preston Road Overlay District Building Setbacks

- Varies by subdistrict
- 75% of bldg must be on built-to-line, additional 25% may setback an additional 10'
- 100' in US 380 gateway
- 50' in SH 121 gateway




Figure 1.1 - SH 121 50' front yard



Figure 1.2 - US 380 100' front yard

91


HGAC/Houston District CM Plans

- MPOs in TMAs must do Congestion Management Process (CMP)
- HGAC includes corridor studies in UPWP
- Numerous CM studies conducted in past 6-8 years
- CMAQ \$\$ used to fund, implement improvements
- Good TxDOT/HGAC cooperative process in place

92

CM Case Study 2

FM 518 Corridor Access Management Plan



93

FM 518 Corridor Access Management Plan

- HGAC, Houston District 2002
- Corridor extends through
 - Pearland, Friendswood, League City, Kemah
 - Brazoria and Galveston counties
 - Jurisdictions with different planning, development controls
- 26 miles, majority 5-lane with C2WLT lanes
- Area experiencing rapid growth, safety concerns, congestion



94

Corridor Goals and Objectives

- Improve safety by reducing driveway density, total conflict points per mile
- ID short-term transportation solutions, provide list of recommended projects
- Improve traffic flow, level of service
- Reduce motorist delay, decrease travel time
- Assess long-term corridor needs and recommend policy and regulation changes

95


FM 518 Corridor Study Process and Timeline



96

FM 518 Corridor Public Involvement Process

- Public, stakeholder, and steering committee meetings
- 85 percent of survey respondents satisfied with public outreach effort
- 60 percent agreed with the raised median recommendation



97

FM 518 Corridor Existing Conditions

- AADT up to 38,000 veh/day
- Speeds vary between 30 and 45 mph
- Crash rates are higher than regional average
- 58 signalized intersections (all TxDOT)
- ROW varies from 60 ft to 200 ft
- Much of the corridor has a two-way left turn lane

98

Existing Conditions (cont.)

- Access Inventory
 - 1002 access points ID'd
 - Density by segments calculated, ranged from 14 to 65 access points per mile
 - Maximum access density goal: 30 per mile
 - Current AM regulations in the 4 cities reviewed
 - AM provisions arbitrarily mentioned in city codes

99

Existing Conditions (cont.)

Corridor Sections		LOS	LOM
SH 288 West Side	to FM 865 (Cullen)	E	Moderate
FM 865 (Cullen)	CR 89	E	Moderate
CR 89	Woody / Corrigan	F	Serious
Woody / Corrigan	Halbert / McLean	E	Moderate
Halbert / McLean	SH 35 / Main	F	Serious
SH 35 / Main	Sherwood	F	Serious
Sherwood	Woodcreek	F	Severe
Woodcreek	Dixie Farm	F	Serious
Dixie Farm	Williamsport	A - D	Tolerable
Williamsport	Newport	F	Serious
Newport	Interurban	F	Serious
Interurban	SH 3	F	Severe
SH 3	FM 270 / FM 2094	F	Serious
FM 270 / FM 2094	South Shore	F	Severe
South Shore	SH 146	A - D	Tolerable

100


Recommended Corridor Improvements

Short and Medium Term, Operational


- Recs. or each signalized intersection in corridor
 - Phasing and striping changes
 - Eliminate all split phased signal sequences
 - Evaluate 'protected only' vs. 'protected- permitted' lefts
- Incorporate isolated signals into closed loop
- Upgrade signal communication infrastructure
- Minor roadway widening projects to accommodate turn lanes at intersections

101

Example Operational Change Recommended



•Re-stripe NB and SB from left-only, left-or-straight, and right-only to left-only, straight-only, and right-only
•Change N-S signal sequence from split-phased to quad-left



102

Corridor Improvements Short and Medium Term, Safety

- Install medians for 600 feet on either side of selected intersections
 - Intersections selected based on crash history and alternative access to adjacent property
- Medium-term recommendations include a more extensive system of medians
- Consolidate driveways, all locations ID'd.
- Other – signage, lighting, landscaping

103

FM 518 Corridor Example Segment Recommendation



104

11:30-1:00
LUNCH on your own

105

Corridor Management and Preservation in Texas

Afternoon Sessions CORRIDOR PRESERVATION

2010 Workshops



1:00 - 1:45 Session 5.0

- Corridor Preservation Overview
- ROW Acquisition and Preservation Tools

2

Corridor Preservation Overview

- Tools
- Strategy
- Environmental
- Bottom line



SH 71 Bastrop – after improvement

3

Purpose – Why Are We Talking About CP?

- Preserve ROW for future
- Reduce cost
- Reduce delays
- Avoid need to reroute
- Reduce dislocations/relocations



Loop 1604, San Antonio area

4

Barriers That Hinder CP

- Inadequate authority
- Protection of private property rights under 5th amendment
- Lack of planning, rampant development
- Inherent challenges in multi-jurisdictional coordination
- Funding limitations
- Most state DOTs, including TxDOT
 - Have limited options available
 - Do not have statutes supporting
 - Do not have a dedicated funding source
- NEPA and the environmental compliance process
 - Cannot use federal funds prior to clearance



5

CP in Use in Texas Cities

- 32% - active corridor preservation
- 38% - protective acquisition
- 45% - advanced purchase
- 69% - accept donations
- 88% - through platting
- 12% - options to purchase



6

CP Steps and Needs


1. Identify, prioritize corridors for CP
2. Develop CP strategy
 - Conditions
 - Locations
 - Methods
 - Timing (relative to environmental)
 - Funding
3. Multi-jurisdictional approach
 - Partnership with local agency
 - Ongoing process
4. Early environmental work
5. Funding for early acquisition
6. Map ROW for protection



Grand Parkway (SH 99) extension, Houston area

7

Corridor Preservation Steps



8

Participants in CP

- TxDOT
 - Districts
 - Environmental Division
 - Administration
 - Commission
- Local agencies
- Developers, property owners
- Public (understanding)
- FHWA (environmental).



Lake Woodlands Dr. Interchange on I-45, The Woodlands



Preston Rd. - Legacy Pkwy. Grade Separation, Plano

9

ROW Acquisition and Preservation Tools

- Approaches and authority
- Acquisition methods
- Reservation methods
- Case study example



10

CP Approaches

- Fee-simple ownership
 - Purchase
 - Other
- Protection/preservation
 - Acquire certain rights
 - Maintain ability to acquire
 - Protect for future corridor

Powers

- TxDOT (limited)
- Local agencies (almost all)
- TxDOT-Local partnership (all)



11

CP Available Methods

Method	TxDOT Authority	Local Authority	Purchase/Possession	Obtain Rights
Outright Acquisition				
Fee simple/negotiated purchase	•	•	•	
Condemnation	•	•	•	
Early/advanced acquisition – hardship purchase	•	•	•	
Early/advanced acquisition – protective purchase	⊙	•	•	
Early/advanced acquisition – donations	⊙	•	•	
Dedication through platting		•	•	
Protection				
Option to purchase	⊙	•		•
Right of first refusal	•	•		•
Reservation through platting		•		•
Purchase development rights	•	•		•
Development agreement	•	•		•

⊙ - More limited than local authority in some cases. ⊙ - More limited but also requires Commission approval.

12

Outright Acquisition (TxDOT, Local)

- Full title
 - Complete control
 - Fewest complications
 - Highest (early) cost of protection



13

Outright Acquisitions (cont.)

- Fee-simple purchase (TxDOT, Local)
 - Successfully negotiated



- Condemnation
 - TxDOT offers not accepted
 - Usable only in protective purchases



14

Outright Acquisitions (cont.)

- Dedication through platting (local agency)
 - Same as for CM
 - Dedication
 - Transfer of ownership
 - Requires
 - Inclusion on adopted plan
 - General location
 - Functional classification
 - General alignment
 - ROW is roughly proportional to development impact
 - Limitations on use for wide ROW
 - Dedication proportional to impact



15

Outright Acquisitions (cont.)



Lake Woodlands Dr. Interchange on I-45, The Woodlands

- Donations (TxDOT, Local)
 - Usually for specific facility beneficial to owner
 - Owner must know of right to sell at fair market value
 - TxDOT may encourage donations
 - No coercion
 - Local agency may use as part of local share
 - Requires commission approval
 - If to TxDOT
 - If no advanced funding agreement with local agency



Local examples of donations?

16

Outright Acquisitions (cont.)

- Early acquisition purchase – hardship (TxDOT, Local)
 - Owner unable to sell
 - Designated as ROW (public knowledge)
 - Health, safety
 - Financial hardship
 - Usually residential
 - Rarely usable as a CP strategy



17

Outright Acquisitions (cont.)

- Early acquisition purchase – protective (TxDOT, Local)
 - Purchase for prevention
 - Imminent development
 - Other major cost increase
 - Parcel-by-parcel only
 - Cannot influence final environmental analysis if pre-NEPA



Local experience?

18

ROW Protection – Other Than Outright Acquisition

- Option to purchase
- Right of first refusal
- Reservation through platting
- Purchase development rights
- Development agreement



Loop 1604, San Antonio Area

19

ROW Protection – Other Than Outright Acquisition

- Option to purchase (TxDOT, local agency [☒)
 - Purchase a contract
 - To purchase property [- Up to 5 years
 - Renewable up to 5 years at a time
- Owner retains possession [

20

ROW Protection – Other Than Outright Acquisition

- Option to purchase (TxDOT, local agency) (cont.)
 - Requires (TxDOT)
 - Probable alignment
 - Use of property for transportation
 - Appropriate property size
 - Economically favorable to TxDOT
 - Environmental site assessment for hazmat contamination
 - Commission approval (project usage)
 - Purchase requirements same as other methods
 - Does not require
 - Final ROW determination
 - NEPA determination



21

ROW Protection – Other Than Outright Acquisition

- Right of first refusal (TxDOT, local agency)
 - Contract
 - TxDOT (or local agency) has first chance to purchase
 - Fee paid to owner



22

ROW Protection – Other Than Outright Acquisition

- Reservation through platting (local agency)
 - Same as for CM
 - Reservation for future acquisition as ROW
 - Prevents permanent improvements by owner
 - TxDOT/local agency request to owner
 - Requires
 - Inclusion on adopted plan
 - General location
 - Functional classification
 - General alignment
 - Option to dedication if proportionality is an issue



President George Bush Turnpike, Garland

23

ROW Protection – Other Than Outright Acquisition

- Purchase development rights (TxDOT, local agency)
 - Usually used for conservation
 - Wildlife resource management
 - Scenic preservation
 - Growth management
 - Agricultural, natural land preservation
 - Could be used for CP
 - May not be readily adaptable for CP
 - Requirements
 - Total cost



24

ROW Protection – Other Than Outright Acquisition

- Development agreement (usually local agency)
 - Negotiated contract(s) covering obligations related to development
 - Developer
 - Local agency
 - Other parties as appropriate
 - May include ROW ownership transfer
 - Part of negotiation
 - Probably will also include TxDOT roadway improvements



25

Session 6.0 Developing CP Strategies 1:45 – 2:30

1. Identify, prioritize corridors
2. Develop corridor strategies
3. Establish partnerships
4. (Environmental)
5. Seek funding
6. Map corridors for protection



26

1. Identify Corridors

1. MPO or statewide plan
 - Statewide or regional need
 - Facility purpose
 - Functional classification
 - ROW width
 - Lanes
 - Access type

NCTCOG Regional Transportation Plan
– Dallas and Tarrant Counties



27

1. Identify Corridors (cont.)

City of Irving Comprehensive Plan
Master Thoroughfare Plan

Corridor	Length (mi)	Width (ft)	Lanes	Access	Speed (mph)	Volume (ADT)	Level of Service
1	1.2	100	4	Controlled	45	15,000	A
2	0.8	80	4	Controlled	45	10,000	B
3	1.5	100	4	Controlled	45	20,000	A
4	0.5	80	4	Controlled	45	8,000	B
5	1.0	100	4	Controlled	45	12,000	B
6	0.7	80	4	Controlled	45	9,000	B
7	1.1	100	4	Controlled	45	14,000	B
8	0.9	80	4	Controlled	45	11,000	B
9	1.3	100	4	Controlled	45	16,000	A
10	0.6	80	4	Controlled	45	7,000	B



28

1. Identify Corridors (cont.)

2. Corridor identification

- Project need
- Facility type
- General location
- Feasible alternatives
- Early environmental

TxDOT or
MPO or
Local agency

Portion of Houston Thoroughfare Plan

1. Identify Corridors (cont.)

Jefferson-Orange-Hardin Regional Transportation Study
Metropolitan Transportation Plan, 2008

1. Identify Corridors (cont.)

Is ROW preserved for each of future routes?

Tyler County

Hardin County

Kountze

H1 - US 69 - Construct new 4-lane divided facility (county line - 1/4 miles south of FM 1000)


1. Identify Corridors (cont.)



Portion of Inner Loop schematic

32

1. Identify Corridors (cont.)



SH 190 (south), Dallas and Ellis Counties

Longmire extension, College Station

33

1. Identify Corridors (cont.)

- Adopt into local agency plans
 - Official adoption
 - Needed for local agency use of powers
- Map corridors to protect
 - Preliminary schematic (or more)
 - Pre-, early, post environmental clearance
 - For
 - TxDOT use
 - Local agency implementation
 - » Subdivision/platting
 - » Zoning
 - » Dedication
- Update with changes and refinements



City of Irving Comprehensive Plan Land Use Map showing ROW alignments

34

1. ...and Prioritize Corridors

1. Part of planning process
 - TxDOT statewide long range plan
 - MPO MTP
 - County, city plan
2. Consider
 - TxDOT, local objectives
 - Development expected
 - Capacity, safety needs
 - Local commitment to project (incl. CP)
 - Project role in statewide system
 - Other criteria developed with local agency(s)



Mopac Expressway (Loop 1) extension, Austin

35

2. Develop CP Strategy

- Identify ROW early
 - Planning
 - Project development
- Develop strategy to protect ROW
 - Early acquisition
 - Reservation
 - Methods and tools
 - Partner agencies
 - Agency champions



FM 1604, San Antonio area


36

2:30 -2:45
Afternoon Break

37

2. Develop Strategy (cont.)

- Requirements to protect ROW
 - Environmental clearance – broad acquisition
 - Before environmental
 - Parcel-by-parcel
 - At risk
- Funding
 - TxDOT limited
 - Local agencies
- Multi-jurisdictional partnerships
 - Interagency agreements



38

2. Develop Strategy

- Select CP methods
 - Timing of project
 - Conditions expected
 - Available funding
 - Local powers available and committed
 - Agency types
 - Capabilities
 - Interagency agreements

39

3. Establish Multi-jurisdictional Partnerships

Why?



40

3. Establish Multi-jurisdictional Partnerships

Why?

- No single agency can be totally successful
 - Limited TxDOT authority
 - Additional local agency powers
 - Use full range of TxDOT and local authorities, tools
- Opportunity for local funding
- Active local agency participation/support



President George Bush Turnpike, Plano



41

4. Early Environmental Work

- Importance – Why?



42

4. Early Environmental Work

- Importance
 - “Fatal flaws” +
 - Early mitigation strategies
 - Avoid later changes, costs
- Starting early
 - Planning
 - Tiered



43

4. Early Environmental Work


- NEPA clearance
 - Project wide acquisition requires clearance
 - Selected advanced acquisition can precede clearance
 - Needs CE for parcels to be acquired



44

4. Early Environmental Work


Conventional project development process (simplified)



45

4. Early Environmental Work

SH 190/PGBTEE – Garland-Mesquite



46

4. Early Environmental Work

Starting Environmental Work Early

- Reduces
 - Risk with uncleared advanced acquisitions
 - Project cost increases
 - Need to alter alignments
- Methods
 - Environmental review during planning
 - Long range plans
 - Corridor, subarea
 - Tiered environmental process

47

4. Early Environmental Work


Linking planning and Environmental

- SAFETEA-LU
 - Requires some environmental during long range, corridor planning
 - Identification
 - Consultation
 - Mitigation
 - Permits use of results for NEPA
 - Purpose and need
 - General alternatives
 - Preliminary screening
 - Identification of impacts
 - Initial mitigation actions
 - Resource agency input
- Early TxDOT attempt underway – Tyler district
- May NOT finalize or influence final ROW

48

4. Early Environmental Work

Planning Level Environmental Review



49

5. Early ROW Protection Requires Funding

- TxDOT through programming process
- Local agencies
- (Dedications)
- (Donations)



Donations for 4 Grade Separations/Flyovers, The Woodlands

50

6. Map Corridors for Protection

- General alignments
 - Schematic drawings
 - Per early environmental findings
 - Approximate ROW limits
- Adopted plans
- Basis for protection, acquisition



Portion of Lincoln, NE
comprehensive plan map

51

7.0 CP Conclusions, Discussion and Case Studies

2:45-3:15

- Bottom line and Opportunities
- Discussion
- Case Studies

52

Bottom Line

- ROW can be protected
- Many tools
- Requires experienced ROW personnel
- Timing relative to environmental finding is important
- Funding a challenge – but not insurmountable
- Partnerships with local agencies can facilitate ROW protection




Grand Parkway Extension, Houston Area



53

CP Opportunities

- Begin environmental work earlier
- Recommended CP process



54

Case Study Example – President George Bush Turnpike (SH 190) – Plano (cont.)

Construction

- Funding lagged local agency desires
- Area agencies agreeable to toll road to expedite completion



President George Bush Turnpike, Plano

55

Case Study Example – President George Bush Turnpike (SH 190) - Plano

Origins

- Loop 9 (later SH 190)
 - Outer DFW loop
 - Promoted by outer suburban cities, counties
- PGBT
 - portions of SH 190, other routes



56

Case Study Example – President George Bush Turnpike (SH 190) – Plano (cont.)

Plano Segment

- TxDOT developed initial schematics
 - Basis for
 - City thoroughfare plan
 - ROW protection
 - Acquisition by City



57

Case Study Example – President George Bush Turnpike (SH 190) – Plano (cont.)

CP Strategy

- Agreement between TxDOT, City
 - City protect, obtain ROW
 - ROW served as City 10% participation
 - TxDOT would build highway
- ROW acquisition
 - Hunt Development, Hunt family large holdings
 - Actively developing at time
 - Understood value to property
 - Dedicated from holdings
 - Some purchases

58

8.0 Legislation, Agreements, and Practice in Select States 3:15-3:45

- Bills in the 80th Legislative Session Impacting CM or CP
- Intergovernmental Agreements
- CM/CP Practice in Select States

59

Bills in 80th Legislative Session



- Several related to increasing the authority and ability of TxDOT and local jurisdictions for CM and CP activities:
 - ✓ House Bill 1857
 - ✓ Senate Bill 1266
 - ✓ Senate Bill 792
 - ✓ House Bill 1472
 - x House Bill 2268
 - x House Bill 117
 - x Bills relating to the SH 130 Corridor

- 4 bills passed, the rest failed

Go to www.capitol.state.tx.us to search bills



60

House Bill 1857 (Effective September 1, 2007)



- Amended §232.0033 of Texas LGC to add a section on "Future Transportation Corridors."
- Allows a county to deny a plat in a preserved corridor if:
 1. *it does not state that the subdivision is located within the alignment of a transportation project as shown in the final environmental document; or*
 2. *if all or part of the proposed subdivision is located within the area of the alignment as shown in the final environmental doc..*
- Requires purchase or lease contracts to contain statement that the land is within the area of the alignment of the transportation project.

61

Senate Bill 1266 (Effective September 1, 2007)



- Assists projects that utilize transportation financing
- Allows for creation of Transportation Reinvestment Zones (TRIZ's) around transportation projects
- TRIZs
 - Can be created by city/county intending to enter into an agreement with TxDOT
 - Capture part of incremental tax growth from development spurred by transportation project
- Provides locals leverage in financing for pass through projects

62

Hidalgo Loop Project

- Pharr District and Hidalgo RMA
- To be financed by
 - Pass-through funds
 - Truck tolls
 - Vehicle registration fees
 - TRIZ
- For more info:
www.hidalgocrb.com



63

Hidalgo Loop TRIZ



64

House Bill 2268 (did not pass)



SB 2268 would have...

- Authorized TxDOT to purchase property before the alignment of highway is determined.
- Been a good CP advanced acquisition tool
- Been a more attractive option than 'option to purchase' by providing landowners certainty of sale and immediate receipt of proceeds

SB 2268 would **NOT** have...

- Precluded or circumvented the ENV process
- Allowed acquisition by condemnation

65

House Bill 117 (died in committee)




HB 117 would have....

- Significantly increased the number of counties in Texas that have the ability to adopt and enforce a transportation plan (by expanding applicability of LGC 232.100)
- Allowed counties with a pop. > 150,000 or more to adopt and enforce a transportation plan
- Been a significant benefit to Transportation Planning in Texas

Appears bill did not receive much support

66

HB 117 – Attempted to Address Need for Transportation Plans in Counties



67

Bills Relating to the SH 130 Corridor

Bills that proposed expanding city and county land use powers along SH130 in Austin area

- **SB 1688** - transportation infrastructure districts
- **SB 1689** - annexation powers for small cities
- **SB 1690** - zoning authority for 2 counties

All Failed

68

CM/CP Practice and Funding in Select States

- Few formal CM/CP programs across US
- The norm: lack of dedicated funding source
- U.S. trend is more state DOT involvement, coordination with locals, MPOs

69

Texas Overview of CM/CP Practice



- No state statutes, no dedicated funding source
- CM/CP accomplished through
 - Access Management, TxDOT and local
 - Good ad hoc voluntary coordination
 - TxDOT advanced ROW tools
 - Local/MPO corridor studies, overlays
 - Non-traversable median installations
- 4 (8%) of 51 Texas cities reported a CP dedicated funding source

70

Florida CM/CP Practice



- Emphasis on FDOT involvement in local development review and coord. in planning
- 1995 statute called for designation of corridors in local comp. plans
 - Enabled corridor management ordinances
 - Local participation optional
- FDOT facilitates intergovernmental agreements
- Strategic acquisitions

71

Florida CM/CP Practice, Funding



- State Transportation Trust Fund
- Local Option Gas Tax
- Local Government Infrastructure
- Surtax – Ninth Cent Gas Tax
- Impact Fees/Developer Contributions

72

Utah CM/CP Practice



- State IDs corridors, then coordinates with locals to help preserve
- 2006 Bill, Local CP Fund, established revenue source and approval process for CP projects
- Allows counties to impose fee on MV registrations/renewals
- Revenues go to Local Transportation CP Fund
- COGs oversee project prioritization

73


Nebraska CM/CP Practice



- NDOR has 'mapping powers' for CP
- Works with locals & public on priorities
- After corridor(s) ID'd, filed with permitting agencies
- State relies heavily on locals to negotiate agreements with developers to preserve ROW

74

Kansas CM/CP Practice



- State CM Program funded by legislation
- Corridors designated on local district plans
- Use of CM committees in KDOT districts
- Heavy emphasis on coordination among DOT, MPOs, municipalities, public utilities, etc.

75

Intergovernmental Agreements for Corridors



- 2004 national survey: 59 % of states have used cooperative agreement to manage arterial corridors
- Most common types of cooperative instruments were MOUs (69%), maintenance agreements (54%) and public-private or development agreements (54%)
- Texas - Interlocal Cooperation Contracts ICCs authorized in Ch. 791 of TGC
- Good example: Master Interlocal Agreements used in Utah

76

Closing Session: CM&P Recommendations and Class Feedback 3:45 - 4:15

- Summary Recommendations
- Participant Feedback
- Workshop Evaluations
- Adjourn

77

General Recommendations

- Make CM and CP a process and integrate into
 - Local comp. plans, development ordinances
 - Local development review and planning processes
 - MPO plans and work programs
 - TxDOT policy, project development, design
- Continue to increase CM/CP practice thru AM, design, advanced ROW, local involvement
- Establish coordination with local agencies
- Establish agency roles and champions
- Use top down initiative

78

TxDOT Should Encourage or Partner with Cities to...

- Develop zoning overlay districts
- Develop CM plans
- Include specific components, policies on CM/CP in comp. plans
- Use land use, development regulations to help implement AM, preserve ROW
- Get ROW dedications, reservations as opportunities arise

79

Incorporate CM /CP into Local Comprehensive Plans

1. Include CM/CP in plan goals, objectives
2. Include prioritized corridors (MPO and/or city)
3. ID corridors designated for special treatment
4. Adopt completed CM plans, studies
5. Adopt development policies that support CM/CP
6. Adopt roadway design policies that support CM

80

In Counties and ETJs Areas TxDOT Should Practice CM/CP Thru...

- Access management
- Transportation planning and ROW preservation with cities (ETJs) and counties
- Monitoring platting activity along corridors
- CM components in facility design
- CM Plans

81

In Counties and ETJs Areas TxDOT Should Encourage, Support...

- Cities to develop, enforce transportation plans in their ETJs
- Cities to apply subdivision regulations and related ordinances in ETJ – access, drainage, parkland dedication
- Increased minimum lot size requirements along TxDOT corridors
 - City, county subdivision regs
 - by counties for OSSF permits

82


TxDOT Roles in CM/CP

- Coordinate with locals regarding CM on design plans, schematics
- Initiate partnering with locals on
 - CM plans
 - CM treatment for planned TxDOT projects
 - Local CM efforts where previously not involved
 - Zoning overlays

83

TxDOT Roles in CM/CP

- Make early, continual involvement in development review and planning standard business



84

MPO Roles in CM/CP

1. Adopt policies, include in work program
2. Develop ranking criteria
3. ID and prioritize corridors
4. Procure, manage studies
5. Other
 - Facilitate TxDOT/local coord.
 - Educate community leaders
 - Support connectivity, AM
 - Coord. CM among agencies



85

Partner to ID and Prioritize On-System Corridors

Cooperatively Develop Factors, Criteria

- Existing capacity and safety
- Timing of future rehabs, upgrades
- Development pressures, immediacy
- ROW protection, preservation
- LU plans, development trends
- Traffic volumes, proportional benefit
- Regional mobility, connectivity
- Community gateway, entryway
- Local government support
- Routes serving tourism destinations or regional attractions
- Routes serving as emergency evacuation routes
- Stimulation for economically distressed areas
- Address visual clutter, blight
- Preservation of natural, cultural, or historical significance

86

Partner with Locals on Use of CM / CP Tools/Techniques Along TxDOT Corridors

1. Access management
2. Acquisition of access rights
3. Non-traversable medians
4. Signalized Intersection location and spacing
5. Arterial frontage and backage roads
6. Lot dimension requirements
7. Zoning overlay districts
8. Enhanced building and parking setbacks
9. Regulation of driveway throat length
10. Internal access for outparcels
11. Local street connections adjacent to TxDOT roadways
12. ROW dedication/reservation through platting
13. Joint and shared access easements
14. Operational measures and ITS

See 5606 Guidebook or Final Report for Specifics



87

Recommendations Specific to CP

1. ID and prioritize corridors
2. Develop a CP strategy
3. Establish a multi-jurisdictional approach
 - Partner, seek assistance from locals
 - Integrate into project development process
 - Appoint CP champions
4. Begin environmental work earlier
5. Pursue all available options for advanced acquisition, protection
6. Map corridors for possible protection, consideration in planning

88

Consequences of Not Practicing and Partnering on CM and CP

- Reduced mobility, increased congestion, accidents
- Decline in property values and tax base
- A loss in aesthetic quality
- Gradual economic disinvestment



89

Consequences of Not Practicing and Partnering on CM and CP

- A loss or re-alignment of a planned corridor due to development
- Displacement of homes and businesses
- Increase in time and delays in project development
- Increase in project costs due to damages paid and purchase of improved ROW.




90

Participant Feedback on Workshop


- ☞ Content ?
- ☞ Subject organization ?
- ☞ Time allocation by topic ?
- ☞ Instructor delivery ?
- ☞ Other ?

How can we improve future workshops?


Please complete a workshop evaluation form!





91



Corridor Management and Preservation in Texas



QUESTIONS

....for attending!

2010 Workshops

92

Questions Later?

- Ed Hard
(979) 845-8539
e-hard@tamu.edu
- Brian Bochner
(979) 458-3516
b-bochner@tamu.edu

To download presentation files, click on: <https://tti-sharepoint.tamu.edu/dropbox>
 Gain access using:
 Username: TTI-SERVERS\Extern_Guest
 Password: el7phantb9nd
 Click on: System Planning, Policy...
 Click on: Ed Hard
 Select: Corridor_2010_CM_AM and Corridor_2010_CP_PM

93
